10

15

20

35

CLAIMS


- 1. materials. Composition for washing keratin characterized in that it comprises, cosmetically acceptable aqueous medium, at least 0.02% by weight, relative to the total weight of the composition, of one or more water-soluble organosilicon compounds chosen from silanes comprising one silicon atom and siloxanes comprising/two or three silicon atoms, this organosilicon /compound also comprising at least one basic chemical function and at least two hydrolyzable or hydroxyl groups per molecule, and at least 4% by weight, relative to the total weight of the composition, of a detergent surfactant chosen from anion/c, amphoteric and nonionic surfactants, and mixtures thereof.
- 2. Composition according to Claim 1, characterized in that the water-soluble organosilicon compound represents from 0.02% to 20% by weight of the composition.
- 3. Composition according to Claim 1 or 2, characterized in that the basic chemical function of the organosilicon compound is chosen from primary, secondary and tertiary amines.
- 4. Composition according to any one of Claims 1 to 3, characterized in that the hydrolyzable groups are chosen from alkoxy, aryloxy and halogen groups.
 - 5. Composition according to any one of the preceding claims characterized in that the organosilicon compound(s) is (are) chosen from the compounds of formulae:

10

$$R_1$$
 $N - R_3 - Si - R_5$
 R_2

in which:

 R_4 represents a halogen or a group OR' or R'_1 ; R_5 represents a halogen or a group OR" or R'_2 ; R_6 represents a halogen or a group OR" or R'_3 ; and R_1 , R_2 , R_3 , R', R'', R'', R''_1 , R'_1 , R'_2 and R'_3 represent, independently of each other, a saturated or unsaturated, linear or branched hydrocarbon-based group optionally bearing additional chemical groups, R_1 , R_2 , R', R'' and R''' also possibly denoting hydrogen, at least two of the groups R_4 , R_5 and R_6 being other than groups R'_1 , R'_2 and R'_3 ; and



in which:

 R_1 , R_2 , R_3 , R_5 and R_6 are defined as above; R'_4 represents a halogen or a group OR_{11} ; R_7 represents a halogen or a group OR_{10} or R''_{11} ; R_9 represents a halogen or a group OR_8 , R''_{2} or $R_3NR_1R_2$;

 R''_{1} , R''_{2} , R_{8} , R_{10} and R_{11} represent a saturated or unsaturated, linear or branched hydrocarbon-based group optionally bearing additional chemical groups, the groups R_{11} , R_{10} and R_{8} also possibly denoting hydrogen; at least one of the groups R_{6} , R_{7} and R_{9}

20

25

15

20

25

denotes a halogen or a group OR"', OR10 or OR8.

- 6. Composition according to Claim 5, characterized in that the groups R_1 , R_2 , R', R'_1 , R'_2 , R', R'', R''', R''_1 , R''_2 , R_8 , R_{10} and R_{11} are chosen from C_1 - C_{12} alkyl, C_6 to C_{14} aryl, $(C_1$ to $C_8)$ alkyl $(C_6$ to $C_{14})$ aryl and $(C_6$ to $C_{14})$ aryl $(C_1$ to $C_8)$ alkyl radicals.
- 7. Composition according to any one of Claims 1 to 6, characterized in that the organosilicon compound has the formula:

 $H_2N (CH_2)_n - Si$ OR

in which the radicals R, which may be identical or different, are chosen from C_1 - C_6 alkyl radicals and n is an integer from 1 to 6 and preferably from 2 to 4.

- 8. Composition according to Claim 7, characterized in that the organosilicon compound is γ-aminopropyltriethoxysilane.
 - 9. Composition according to any one of the preceding claims, characterized in that the detergent surfactant is present in a proportion of from 5% to 50% by weight and preferably from 8% to 35% by weight relative to the total weight of the composition.
- 10. Composition according to any one of the preceding claims, characterized in that the anionic surfactants are chosen from the alkali metal salts, magnesium salts, ammonium salts, amine salts and

10

15

20

25

30

35

amino alcohol salts of the following compounds: alkyl sulfates, alkyl ether sulfates, /alkylamidoether sulfates, alkylarylpolyether sulfates, monoglyceride sulfates; alkyl sulfonates, a/kylamide sulfonates, alkylaryl sulfonates, olefin sulfonates, paraffin sulfonates; alkyl sulfosuccinates, alkyl ether sulfosuccinates, alkylamide sulfosuccinates; alkyl sulfosuccinamates; alkyl sulfoacetates; alkyl phosphates, alkyl ether phosphates; acyl sarcosinates, acyl isethionates and N-Acyl taurates; the alkyl or acyl radical of these various compounds consists of a carbon-based cha/n containing from 12 to 20 carbon atoms; fatty acid salts of oleic, ricinoleic, palmitic or stearic acid; coconut oil hydrogenated connut acid or oil acid; lactylates, in which the acyl radical comprises from 8 to 20 carbon/atoms/; allyyl-D-galactosiduronic acids and salts thereof, polyoxyalkylenated alkyl or alkylaryl ether carboxylic acids or salts thereof, polyoxyalkylenated Akylamido ether carboxylic acids or salts thereof.

Composition according to any one of Claims 1 to 9, 11. characterized in that the nonionic surfactants are chosen from /polyethoxylated, polypropoxylated or polyglycero/ated fatty acids or alkylphenols or alcohols, with a fatty chain containing 8 to 18 carbon atoms, the number of ethylene oxide propylene oxide groups being between 2 and 50 and the number of glycerol groups being between 2 and 30; oppolymers of ethylene oxide and propylene oxide; condensates of ethylene oxide and propylene oxide with fatty alcohols; polyethoxylated fat/ty amides; polyglycerolated fatty pqlyethoxylated fatty amines; oxyethylenated fatty acid esters of sorbitan; fatty acid esters of

of polyethylene glycol, alkylpolysucrose or glycosides; carbamate or amide derivatives of Nalkylglucamide, aldobionamides and amine ϕ xides.

5 12. Composition according to any one of Claims 1 to 9, characterized in that the amphoteric surfactants are chosen from secondary or tertiary Aliphatic amine derivatives, in which the aliphatic radical is a linear or branched chain containi/ng 8 to 18 carbon atoms and which contains at least one carboxylate, 10 sulfonate, sulfate, phosphate or phosphonate watersolubilizing anionic group; $/(C_8-C_{20})$ alkylbetaines, sulfobetaines, (C_8-C_{20}) alkylbe taines [sic] or (C_8-C_{20}) alkylamido (C_1-C_6) alkylsulfopetaines.

15

13. Composition according to any one of Claims 1 to 12, characterized in that the aqueous medium consists of water or a mixture of water and a cosmetically acceptable solvent /chosen from lower alcohols, alkylene glycols and polyolethers, the water being present in proportions of greater than 20%.


25

20

Composition according to any one of Claims 1 to 13, 14. characterized /n that the composition also contains viscosity modifiers chosen from electrolytes, hydrotropes /or thickeners present in proportions which may be up to 15% by weight relative to the total weight of the composition.

30

Composition according to any one of Claims 1 to 14, 15. characterized in that it also contains one or more adjuvants chosen from cationic surfactants, anionic, noniønic, cationic amphoteric or polymers, opt fonally quaternized proteins and a silicone oil, 35 wax, gum or resin.



- 17. Use, as a shampoo, of the composition as defined in any one of Claims (1 to 16.
- 18. Use, as a shower get, of the composition as defined in any one of Claims 1 to 16.
- 19. Process for washing keratin materials, characterized
 in that at least one composition as defined in any
 one of Claims 1 to 16 is applied to these materials
 and, after an exposure time, the treated materials
 are rinsed with water.

A 01)